SERIAL NO.:

09/229.28

FILED:

January 13, 1999

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of the Claims:

- 1. (Previously presented) A method for diagnosing melanoma which comprises:
 - (a) contacting *in vitro* a biological specimen containing malignant cells with a probe which selectively recognizes microphthalmia (Mi); and
 - (b) determining whether Mi is being expressed in the specimen by the probe's binding to Mi, wherein said binding is indicative of Mi expression and, wherein the expression of Mi in a malignant cell is indicative of melanoma.
- 2. (ORIGINAL) The method of claim 1, wherein the probe is an antibody for Mi.
- 3. (PREVIOUSLY PRESENTED) The method of claim 1, wherein the probe detects the presence of an mRNA expressing Mi.
- 4. (PREVIOUSLY PRESENTED) The method of claim 1, wherein the biological specimen consists of malignant cells.
- 5. (WITHDRAWN)
- 6. (WITHDRAWN)
- 7. (WITHDRAWN)
- 8. (WITHDRAWN)
- 9. (WITHDRAWN)
- 10. (WITHDRAWN)
- 11. (WITHDRAWN)
- 12. (WITHDRAWN)

SERIAL NO.:

09/229,28

FILED:

January 13, 1999

13. (PREVIOUSLY PRESENTED) The method of claim 2, wherein the antibody is a monoclonal antibody.

- 14. (PREVIOUSLY PRESENTED) The method of claim 13, wherein the antibody binds to an epitope in the N-terminus Taq-Sac fragment of human Mi.
- 15. (New) A method for screening for melanoma using immunohistochemistry to determine whether microphthalmia (Mi) is expressed comprising:
 - (a) contacting in vitro a biological specimen containing malignant cells with an antibody that binds to an epitope in the N-terminus Taq-Sac fragment of human Mi; and
 - (b) determining whether Mi is being expressed by the binding of the antibody to Mi, wherein said binding is indicative of Mi expression and, wherein the expression of Mi in a malignant cell is indicative of melanoma.
- 16. (NEW) The method of claim 15, wherein the biological sample is on a slide.
- 17. (NEW) The method of claim 15, wherein the antibody is used to determine where in the malignant cell the Mi is expressed.